
REV 更改号	DATE _{日期}	REVISION DETAILS 更改内容	APPD 审核并批准
Α	Jan.25,2016	Drawing Update	
В	Jun.15,2019	Delete Dim.22.5 +/-0.50	

Change 37.1 REF to 36.8 +/-0.50 Change 14.6 +0.38/0 to 14.6 +0.80/0



13/16-16 UN-2A 30° 15° 3/8-18 NPTF

SEE SAE J1453-1
REVISED MAY2012

Ø18.25±0.25

Ø18.25±0.25

Ø18.25±0.25

Ø18.25±0.25

Ø18.25±0.25

Ø18.25±0.25

Ø18.25±0.25

去除所有毛刺,铁屑等残留物,锐边倒钝0.127-0.254mm.

镀锌,三价铬钝化,银白色,盐雾试验96小时无白斑。144小时无红锈,镀锌层厚度大于8u

UNLESS SPECIFIED
ALL DIMENSIONS IN mm,
MACHINED SURFACES Ra=3.2um,
ANGLE TOLERANCES ± 5°,
Other tolerance except angles,
in accordance with
GB/T1804-2000(ISO2768-1)-m
and GB/T1184-1996(ISO2768-2)-m

Chinese steel 45

Remove all sharp edges, burrs, slivers and swarf, break all edges 0.127-0.254mm

AND WITHSTAND 96 HRS TO WHITE / 144 HS TO RED RUST IN SALT SPRAY TEST.

ZINC PLATING WITH 8um MICRONS MINIMUM PLATING THICKNESS AND TRIVALENT CHROMATE PASSIVATION

MATERIAL

FINISH

其它事项, 图示尺寸单位为mm, 未注机加工表面粗糙度 Ra=3.2um, 未注角度公差 ±5°, 其它未注公差(除角度外)均按: GB/T1804-2000(ISO2768-1)-m和 GB/T1184-1996(ISO2768-2)-m

	Zirejiang Gaocheng Autoparts Co.,Etu						
	PART No 零件名	2404-8	BFS-6	6LT			
	SCALE:	APPD: 批准	DRN: 制图	Pan 2019.06.15			
ım.	NTS	DATE: 日期	CHK: 审核	Pan 2019.06.15			

Theiland Ganchend Autonorts Co. Ltd.