



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

**CERTIFICATE NO.:** CQC23701413600

**Valid from:** Dec.05,2023

**Valid until:** Dec.04,2026

**NAME AND REGISTERED ADDRESS OF THE APPLICANT** Zhejiang Shoufei Pump Industry Co.,Ltd  
No. 2 Shanlitang, Xiayang Village, Xiazuhuhu Subdistrict, Deqing, Huzhou, Zhejiang, China

**BRAND NAME**

**NAME AND REGISTERED ADDRESS OF THE MANUFACTURER** Zhejiang Shoufei Pump Industry Co.,Ltd  
No. 2 Shanlitang, Xiayang Village, Xiazuhuhu Subdistrict, Deqing, Huzhou, Zhejiang, China

**NAME AND LOCATION OF THE FACTORY** Zhejiang Shoufei Pump Industry Co.,Ltd  
No. 2 Shanlitang, Xiayang Village, Xiazuhuhu Subdistrict, Deqing, Huzhou, Zhejiang, China

**PRODUCT NAME, MODEL AND SPECIFICATION** Pipeline circulating pump  
TD Series See attachment

**THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS** GB 19762-2007

**TYPE OF CERTIFICATION SCHEMES** Product Testing + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of CQC31-432212-2009.

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



SIGNATURE:

谢肇煦

CHINA QUALITY CERTIFICATION CENTRE





# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page 1 of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
1	TD32-18/2SWHC	8	18	56	2900	1.1	2	55.84	55.84
2	TD32-21/2SWHC	12.5	21	64	2900	1.5	2.5	61.36	61.36
3	TD32-25/2SWHC	12.5	25	56	2900	2.2	2.5	59.15	59.15
4	TD32-32/2SWHC	12.5	32	46	2900	3	2.5	55.93	55.93
5	TD32-38/2SWHC	12.5	38	41	2900	4	2.5	53.59	53.59
6	TD32-50/2SWHC	12.5	50	33	2900	5.5	2.5	49.42	49.42
7	TD40-16/2SWHC	12.5	16	78	2900	1.1	2	64.39	64.39
8	TD40-20/2SWHC	12.5	20	66	2900	1.5	2	61.95	61.95
9	TD40-18/2SWHC	20	18	90	2900	2.2	2	69.45	69.45
10	TD40-25/2SWHC	20	25	71	2900	3	2	66.51	66.51
11	TD40-30/2SWHC	25	30	69	2900	4	2.5	67.63	67.63



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page2of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
12	TD40-36/2SWHC	25	36	60	2900	5.5	2.5	65.40	65.40
13	TD40-48/2SWHC	25	48	48	2900	7.5	2.5	61.69	61.69
14	TD50-32/2SWHC	12.5	32	46	2900	3	2	55.93	55.93
15	TD50-38/2SWHC	12.5	38	41	2900	4	2	53.59	53.59
16	TD50-48/2SWHC	12.5	48	34	2900	5.5	2	50.08	50.08
17	TD50-12/2SWHC	16	12	109	2900	1.1	2	69.29	69.29
18	TD50-15/2SWHC	20	15	103	2900	1.5	2	70.50	70.50
19	TD50-18/2SWHC	25	18	101	2900	2.2	2	71.82	71.82
20	TD50-24/2SWHC	25	24	81	2900	3	2	69.91	69.91
21	TD50-28/2SWHC	30	28	79	2900	4	2	70.78	70.78
22	TD50-35/2SWHC	30	35	67	2900	5.5	2	68.40	68.40



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page3of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
23	TD50-40/2SWHC	35	40	66	2900	7.5	2.5	68.95	68.95
24	TD50-50/2SWHC	40	50	59	2900	11	2.5	68.04	68.04
25	TD50-60/2SWHC	50	60	58	2900	15	4	68.81	68.81
26	TD50-70/2SWHC	50	70	52	2900	18.5	4	66.82	66.82
27	TD50-81/2SWHC	50	81	46	2900	22	4	64.91	64.91
28	TD65-36/2SWHC	25	36	60	2900	5.5	3	65.40	65.40
29	TD65-48/2SWHC	25	48	48	2900	7.5	3	61.69	61.69
30	TD65-19/2SWHC	30	19	106	2900	3	2.5	73.34	73.34
31	TD65-22/2SWHC	40	22	110	2900	4	2.5	75.26	75.26
32	TD65-30/2SWHC	40	30	87	2900	5.5	2.5	73.45	73.45
33	TD65-34/2SWHC	50	34	89	2900	7.5	2.5	74.81	74.81



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page4of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
34	TD65-40/2SWHC	50	40	78	2900	11	2.5	73.50	73.50
35	TD65-50/2SWHC	50	50	66	2900	15	2.5	71.08	71.08
36	TD65-61/2SWHC	50	61	57	2900	18.5	2.5	68.60	68.60
37	TD65-67/2SWHC	50	67	53	2900	22	2.5	67.39	67.39
38	TD65-83/2SWHC	50	83	45	2900	30	2.5	64.58	64.58
39	TD80-28/2SWHC	50	28	102	2900	7.5	3	75.95	75.95
40	TD80-40/2SWHC	50	40	78	2900	11	2.5	73.50	73.50
41	TD80-48/2SWHC	50	48	68	2900	15	2.5	71.56	71.56
42	TD80-38/2SWHC	80	38	103	2900	15	4	78.24	78.24
43	TD80-47/2SWHC	80	47	88	2900	18.5	4	76.98	76.98
44	TD80-54/2SWHC	80	54	79	2900	22	4	75.87	75.87



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page5of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
45	TD80-67/2SWHC	80	67	67	2900	30	4	73.57	73.57
46	TD100-40/2SWH C	100	40	111	2900	18.5	3.5	79.73	79.73
47	TD100-48/2SWH C	100	48	97	2900	22	3.5	78.73	78.73
48	TD100-52/2SWH C	130	52	104	2900	30	5	80.30	80.30
49	TD125-22/4SWH C	160	22	112	1480	15	3	81.63	81.63
50	TD125-28/4SWH C	160	28	94	1480	18.5	3.5	80.31	80.31



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page6of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
51	TD125-32/4SWH C	160	32	85	1480	22	3.5	79.41	79.41
52	TD125-40/4SWH C	160	40	72	1480	30	3	77.29	77.29
53	TD125-48/4SWH C	160	48	62	1480	37	3	75.13	75.13
54	TD150-25/4SWH C	200	25	114	1480	22	5	82.53	82.53
55	TD150-33/4SWH C	200	33	92	1480	30	5	81.01	81.01
56	TD150-40/4SWH	200	40	80	1480	37	5	79.59	79.59



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page7of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
	C								
57	TD150-50/4SWH C	200	50	68	1480	45	5	77.24	77.24
58	TD200-44/4SWH C	300	44	91	1480	55	3	82.27	82.27
59	TD200-53/4SWH C	300	53	79	1480	75	3	80.85	80.85
60	TD200-20/4SWH C	400	20	190	1480	30	5	83.99	83.99
61	TD200-23/4SWH C	400	23	172	1480	37	5	83.99	83.99



CHINA QUALITY CERTIFICATION CENTRE





# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page8of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
62	TD200-27/4SWH C	400	27	152	1480	45	5	83.99	83.99
63	TD200-32/4SWH C	400	32	134	1480	55	5	83.99	83.99
64	TD250-21/4SWH C	500	21	205	1480	45	5	84.67	84.67
65	TD250-27/4SWH C	500	27	170	1480	55	4	84.67	84.67
66	TD250-36/4SWH C	500	36	137	1480	75	4	84.67	84.67
67	TD250-26/4SWH	630	26	196	1480	75	5	85.34	85.34



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page9of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
	C								
68	TD250-32/4SWH C	630	32	168	1480	90	5	85.34	85.34
69	TD250-40/4SWH C	630	40	142	1480	110	5.5	85.34	85.34
70	TD250-50/4SWH C	630	50	120	1480	132	5.5	85.34	85.34
71	TD300-20/4SWH C	900	20	197	1480	75	5	83.32	83.32
72	TD300-25/4SWH C	900	25	167	1480	90	5	83.32	83.32



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

## CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO. : CQC23701413600

page10of 10

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	泵型号	流量 (m <sup>3</sup> /h)	扬程 (m)	比转速	额定 转速(r/min)	电机 功率 (kW)	临界汽蚀 余量(m)	泵效率 (%)	节能评价 值 (%)
73	TD300-30/4SWH C	900	30	146	1480	110	5	83.32	83.32
74	TD300-35/4SWH C	900	35	130	1480	132	5	86.32	86.32



CHINA QUALITY CERTIFICATION CENTRE